



Makes your life easier



MARKET MAP

Western Asia: Turkey, Cyprus, Turkmenistan, Azerbaijan, Georgia, Armenia, Iran.
Central Asia: Kazakhstan, Tajikistan, Uzbekistan, Kyrgyzstan, Turkmenistan.
Eastern Europe: Russia, Ukraine
Southeast Asia: Malaysia, Indonesia, Philippines, Thailand, Vietnam
West Asia: Pakistan, Bangladesh, India.
Arabic Gulf: Saudi Arabia, Kuwait, Qatar, Bahrain, Oman, UAE
Middle East: Lebanon, Syria, Jordan, Palestine, Iraq.
Africa: Sudan, Ethiopia, Somalia, Zimbabwe, South Africa, Nigeria, Ivory Coast
North Africa: Egypt, Libya, Algeria, Morocco
Western Europe: Spain, Portugal
Central America: Panama, Mexico, Nicaragua, Cuba, Guatemala.
Southern America: Brazil, Venezuela, Colombia, Ecuador, Chile, Argentina, Paraguay, Peru.

- The pictures are only part of our products. The colors, styles and configurations are for reference only. The final explanation belongs to our company. If there is any change, no notice will be made.
The difference between the illustration and the size may only be used for the regular examination. For the specific size of the project, please contact the regional resellers for confirmation.



IMPACT DRILL 13mm

BZ-10004



No-Load Speed	
0-3000r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	1
63x43x27.5cm/10pcs	
Net Weight/CBM	Rated Input Power
24kg /0.0745	650W-1080W

IMPACT DRILL 13mm

BZ-10007



No-Load Speed	
0-3000r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	13mm
Net Weight/CBM	Rated Input Power
22.9kg /0.0555	650W-810W

IMPACT DRILL 13mm

BZ-10008



No-Load Speed	
0-3000r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	13mm
Net Weight/CBM	Rated Input Power
22.85kg /0.0555	550W-1080W



ELECTRIC DRILL 10mm

BZ-10028



No-Load Speed	
0-2800r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	10mm
Net Weight/CBM	Rated Input Power
17.3kg /0.0555	550W

ELECTRIC DRILL 10mm

BZ-10030



No-Load Speed	
0-2800r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	10mm
Net Weight/CBM	Rated Input Power
17kg /0.0555	550W

ELECTRIC DRILL 10mm

BZ-10032



No-Load Speed	
0-2800r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	10mm
Net Weight/CBM	Rated Input Power
17.11kg /0.0555	550W

ELECTRIC DRILL 10mm

BZ-10029



No-Load Speed	
0-2800r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	10mm
Net Weight/CBM	Rated Input Power
16.8kg /0.0555	550W

ELECTRIC DRILL 10mm

BZ-10031



No-Load Speed	
0-800r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	10mm
Net Weight/CBM	Rated Input Power
17kg /0.0555	500W

ELECTRIC DRILL 10mm

BZ-10033



No-Load Speed	
0-3000r/min	
Rated Voltage	
110V/220V 50/60Hz	
Size/Qty	Max Drill Capacity
60x37x25cm/10pcs	10mm
Net Weight/CBM	Rated Input Power
21.6kg /0.0555	650W-850W

ELECTRIC DRILL

13mm

BZ-10009



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
60x37x25cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
23kg /0.0555
Rated Input Power
750W

ELECTRIC DRILL

BZ-10010



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
60x37x25cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
22.25kg /0.0555
Rated Input Power
750W

ELECTRIC DRILL

13mm

BZ-10011



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
60x37x25cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
23.3kg /0.0555
Rated Input Power
850W

ELECTRIC DRILL

13mm

BZ-10012



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
63x43x27.5cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
25.8kg /0.0745
Rated Input Power
850W

ELECTRIC DRILL

13mm

BZ-10013



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
63x43x27.5cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
28.2kg /0.0745
Rated Input Power
950W

ELECTRIC DRILL

13mm

BZ-10014



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
60x37x25cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
22.3kg /0.0745
Rated Input Power
750W

BZ-10015



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
63x43x27.5cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
23.4kg /0.0745
Rated Input Power
850W

BZ-10016



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
63x43x27.5cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
23.4kg /0.0745
Rated Input Power
850W

ELECTRIC DRILL

13mm

BZ-10017



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
60x37x25cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
22.3kg /0.0745
Rated Input Power
950W

ELECTRIC DRILL

13mm

BZ-10018



No-Load Speed
0-3000r/min
Rated Voltage
110V/220V 50/60Hz
Size/Qty
63x43x27.5cm/10pcs
Max Drill Capacity
13mm
Net Weight/CBM
23.5kg /0.0745
Rated Input Power
650W-1080W



CORDLESS TOOLS SERIES

锂电系列

Imported high quality motor + good gear ratio gearbox
for higher efficiency
Imported large-capacity battery packs for longer
single-package usage

Baaz
TOOLS

锂电系列
CORDLESS TOOLS SERIES

CORDLESS WRENCH

22-24mm

BZ-12001

Max Drill Capacity: 22-24mm
Rated Voltage: 68V
No-Load speed: 2400r/min
Max Torque: 400N.m
Size/Qty: 56×34.5×30cm/5PCS
Net Weight: 19.6kg
CBM: 0.058



CORDLESS DRILL

10MM

BZ-12002

Max Drill Capacity: 10mm
Rated Voltage: 12V
Idle speed: 0-1350rpm
Max Torque: 28/11N.m
Size/Qty: 60×43×25cm/10pcs
Net Weight: 21.5kg
CBM: 0.0468



CORDLESS DRILL

13MM

BZ-12003

Max Drill Capacity: 13mm
Rated Voltage: 21V
Idle speed: 0-1600rpm
Max Torque: 54/21N.m
Size/Qty: 62×47×30cm/10pcs
Net Weight: 26.22kg
CBM: 0.08742



CORDLESS DRILL

13MM

BZ-12004

Max Drill Capacity: 13mm
Rated Voltage: 21V
Idle speed: 0-1600rpm
Max Torque: 54/21N.m
Size/Qty: 62×47×30cm/10pcs
Net Weight: 26.22kg
CBM: 0.08742



CORDLESS DRILL

13MM

BZ-12005

Max Drill Capacity: 13mm
Rated Voltage: 21V
Idle speed: 0-1600rpm
Max Torque: 54/21N.m
Size/Qty: 62×47×30cm/10pcs
Net Weight: 26.22kg
CBM: 0.08742



CORDLESS ANGLE GRINDER

100/115mm

BZ-12016



No-Load Speed	9800r/min
Rated Voltage	68V
Spindle Tread:M10/14	Size/Qty
Max Diameter Wheel	100/115mm
Rated Input Power	950W
Net Weight/CBM	22kg /0.07547

CORDLESS ROTARY HAMMER

26mm

BZ-12026



Max Drill Capacity	No-Load Speed	Size/Qty
26mm	850r/min	58x42x34cm/5pcs
Rated Input Power	Rated Voltage	Net Weight/CBM
950W	68V	29.45kg /0.083

CORDLESS BLOWER

12mm

BZ-12025



多功能调节



Wind volume	No-Load Speed	Size/Qty ty
550CFM	11000r/min	94x25x38cm/10pcs
Rated Input Power	Rated Voltage	Net Weight/CBM
950W	68V	19kg /0.0685
Wind speed:120MFP		

CORDLESS SAW

950W

BZ-12027



Wind volume	No-Load Speed	Size/Qty ty
550CFM	11000r/min	94x25x38cm/10pcs
Rated Input Power	Rated Voltage	Net Weight/CBM
950W	68V	19kg /0.0685
Wind speed:120MFP		

CORDLESS SAW KNIFE

2500mAh

BZ-12028



Wind volume	No-Load Speed	Size/Qty ty
550CFM	11000r/min	94x25x38cm/10pcs
Rated Input Power	Rated Voltage	Net Weight/CBM
950W	68V	19kg /0.0685
Wind speed:120MFP		

CORDLESS BLOWER

950W

BZ-12029



Wind volume	No-Load Speed	Size/Qty ty
550CFM	11000r/min	94x25x38cm/10pcs
Rated Input Power	Rated Voltage	Net Weight/CBM
950W	68V	19kg /0.0685
Wind speed:120MFP		



4.5"*1.2*22.2MM	BZ-20013	PROFESSIONAL	A+
4.5"*3*22.2MM	BZ-20014	PROFESSIONAL	A+
4.5"*6*22.2MM	BZ-20015	PROFESSIONAL	A+
7"*1.6*22.2MM	BZ-20016	PROFESSIONAL	A+
7"*3*22.2MM	BZ-20017	PROFESSIONAL	A+
7"*6*22.2MM	BZ-20018	PROFESSIONAL	A+
9"*2*22.2MM	BZ-20019	PROFESSIONAL	A+
9"*3*22.2MM	BZ-20020	PROFESSIONAL	A+
9"*6*22.2MM	BZ-20021	PROFESSIONAL	A+
300*3*25.4MM	BZ-20022	PROFESSIONAL	A+
355*3*25.4MM	BZ-20023	PROFESSIONAL	A+
400*3*32MM	BZ-20024	PROFESSIONAL	A+



4.5"*1.2*22.2MM	BZ-20001	INDUSTRIAL
4.5"*3*22.2MM	BZ-20002	INDUSTRIAL
4.5"*6*22.2MM	BZ-20003	INDUSTRIAL
7"*1.6*22.2MM	BZ-20004	INDUSTRIAL
7"*3*22.2MM	BZ-20005	INDUSTRIAL
7"*6*22.2MM	BZ-20006	INDUSTRIAL
9"*2*22.2MM	BZ-20007	INDUSTRIAL
9"*3*22.2MM	BZ-20008	INDUSTRIAL
9"*6*22.2MM	BZ-20009	INDUSTRIAL
300*3*25.4MM	BZ-20010	INDUSTRIAL
355*3*25.4MM	BZ-20011	INDUSTRIAL
400*3*32MM	BZ-20012	INDUSTRIAL

ANGLE GRINDER

115/125mm



Adjustable speed

No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

BZ-10215

Max Diameter Wheel	Size/Qty
115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
950W-1250W	23.45kg /0.0685

ANGLE GRINDER

115/125mm



Adjustable speed

No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

BZ-10217

Max Diameter Wheel	Size/Qty
115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
950W-1250W	23.45kg /0.0685

ANGLE GRINDER

115/125mm



Adjustable speed

No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

BZ-10251

Max Diameter Wheel	Size/Qty
115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
950W-1250W	23.45kg /0.0685



**ALWAYS BY YOUR
SIDE**

we take extensive measure to ensure all our products are made to the very highest standards and meet all relevant industry regulations



One-stop
Tool Station



Ready to Ship
Stock



7 Days Fast
Delivery



Factory Technician
Support



TUV Rheinland
Verified

ANGLE GRINDER SERIES

角向磨光机系列

FEEL MORE COMFORTABLE AND LIGHTER TO OPERATE
EFFICIENT ENERGY GATHERING AND FASTER OPERATION
FAST HEAT DISSIPATION, NOT HOT
SEIKO QUALITY, LONGER LIFE

Baaz
TOOLS

角向磨光机系列
ANGLE GRINDER SERIES

ANGLE GRINDER 115/125mm



BZ-10204

Max Diameter Wheel	Size/Qty
115/125mm	67.5x43x26cm/10pcs
Rated Input Power	Net Weight/CBM
810W-1250W	25.96kg /0.0755

No-Load Speed
10000-11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115mm



BZ-10228

Max Diameter Wheel	Size/Qty
115mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1250W	22.84kg /0.0685

No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



BZ-10205

Max Diameter Wheel	Size/Qty
115/125mm	67.5x43x26cm/10pcs
Rated Input Power	Net Weight/CBM
810W-1450W	25.88kg /0.0755

Adjustable speed
No-Load Speed
2000-10000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



BZ-10229

Max Diameter Wheel	Size/Qty
115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
710W-850W	23.3kg /0.0685

Adjustable speed
No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



BZ-10208

Max Diameter Wheel	Size/Qty
115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
710W-850W	22.86kg /0.0685

Adjustable speed
No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



BZ-10267

Max Diameter Wheel	Size/Qty
115/125mm	63x38x29.5cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1250W	22.85kg /0.0685

Adjustable speed
No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 100/115mm



BZ-10201

Max Diameter Wheel	Size/Qty
100/115mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
810W-1250W	24.76kg /0.0685

No-Load Speed
9000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



BZ-10202

Max Diameter Wheel	Size/Qty
115/125mm	67.5x43x26cm/10pcs
Rated Input Power	Net Weight/CBM
810W-1250W	25.64kg /0.0755

No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



BZ-10203

Max Diameter Wheel	Size/Qty
115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
810W-1250W	24.76kg /0.0685

No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



BZ-10207

Max Diameter Wheel	Size/Qty
115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1250W	23.24kg /0.0685

No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

ANGLE GRINDER 115/125mm



Adjustable speed

No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10209 115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1100W	23.45kg /0.0685

ANGLE GRINDER 115/125mm



No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10210 115/125mm	66x37x41cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1100W	24kg /0.10012

ANGLE GRINDER 115/125mm



Adjustable speed

No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10214 125/150mm	63x38x29.5cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1250W	22.85kg /0.0685

ANGLE GRINDER 150/180mm



No-Load Speed
2000-8000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10219 150/180mm	50.5x37x33cm/4pcs
Rated Input Power	Net Weight/CBM
1600W-2000W	31.8kg /0.062

ANGLE GRINDER 115/125mm



No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10211 115/125mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1100W	22.86kg /0.0685

ANGLE GRINDER 115/125mm



No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10212 115/125mm	67.5x43x26cm/10pcs
Rated Input Power	Net Weight/CBM
810W-1100W	25kg /0.0755

ANGLE GRINDER 150mm



No-Load Speed
8500r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10226 150mm	67.5x43x26cm/10pcs
Rated Input Power	Net Weight/CBM
980W-1450W	35.78kg /0.0755

ANGLE GRINDER 125/150mm



Adjustable speed

No-Load Speed
2000-11000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10227 125/150mm	67.5x43x26cm/10pcs
Rated Input Power	Net Weight/CBM
950W-1280W	27.55kg /0.075

ANGLE GRINDER 115mm



No-Load Speed
11000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10213 100mm/115mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
710W-1250W	22.85kg /0.0685



ANGLE GRINDER 150/180mm



Adjustable speed

No-Load Speed
2000-8000r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10268 150/180mm	59.5x40x37cm/6pcs
Rated Input Power	Net Weight/CBM
1600W-2000W	21.2kg /0.088

ANGLE GRINDER 150/180mm



Adjustable speed

No-Load Speed
1000-4800r/min
Rated Voltage
110V/220V 50/60Hz

Max Diameter Wheel	Size/Qty
BZ-10269 150/180mm	69x51.5x36.5cm/10pcs
Rated Input Power	Net Weight/CBM
850W-1280W	31.5kg /0.13

ANGLE GRINDER

230mm

BZ-10235

Max Diameter Wheel	Rated Voltage
230mm	110V/220V 50/60Hz
Rated Input Power	Size/Qty
2200W-2500W	59.5x27x37cm/4pcs
No-Load Speed	Net Weight/CBM
6500r/min	23.9kg /0.05944



ANGLE GRINDER

230mm

BZ-10236

Max Diameter Wheel	Rated Voltage
230mm	110V/220V 50/60Hz
Rated Input Power	Size/Qty
2200W-2500W	59.5x27x37cm/4pcs
No-Load Speed	Net Weight/CBM
6500r/min	24kg /0.05944



ANGLE GRINDER

230mm

BZ-10221

Adjustable speed

Max Diameter Wheel	Rated Voltage
230mm	110V/220V 50/60Hz
Rated Input Power	Size/Qty
2200W-2400W	59.5x27x37cm/4pcs
No-Load Speed	Net Weight/CBM
6500r/min	23.62kg /0.05944



ANGLE GRINDER

230mm

BZ-10237

Max Diameter Wheel	Rated Voltage
230mm	110V/220V 50/60Hz
Rated Input Power	Size/Qty
2350W-2600W	59.5x27x37cm/4pcs
No-Load Speed	Net Weight/CBM
6500r/min	24.22kg /0.05944



ANGLE GRINDER

230mm

BZ-10238

Max Diameter Wheel	Rated Voltage
230mm	110V/220V 50/60Hz
Rated Input Power	Size/Qty
2350W-2600W	59.5x27x37cm/4pcs
No-Load Speed	Net Weight/CBM
6500r/min	24.22kg /0.05944



GASOLINE GENERATORS

2.5 KW

BZ-15001

Starter	E/Recoil Starter
Type	H5
Rated Amperage(A)	9-18
Power(hp)	6.5
Zero Load/ Full Load	68 dB
Engine Displacement(cc)	196



GASOLINE GENERATORS

3 KW

BZ-15002

Starter	E/Recoil Starter
Type	H5
Rated Amperage(A)	11-23
Power(hp)	7
Zero Load/ Full Load	69 dB
Engine Displacement(cc)	212



GASOLINE GENERATORS

6KW

BZ-15003

Starter	E/Recoil Starter
Type	H5
Rated Amperage(A)	23-46
Power(hp)	13
Zero Load/ Full Load	76 dB
Engine Displacement(cc)	389



GASOLINE GENERATORS

7KW

BZ-15004

Starter	E/Recoil Starter
Type	H5
Rated Amperage(A)	28-42
Power(hp)	15
Zero Load/ Full Load	77 dB
Engine Displacement(cc)	420



GASOLINE GENERATORS

DC 24V

BZ-15011/12

Starter	Recoil Starter
Type	H5
Fuel Type	Unleaded Gasoline
Phase	1 Phase
Zero Load/ Full Load	59.8-66.8 dB
Oil Type	30W/ 15W-40



GASOLINE GENERATORS

1KW/ 2KW

BZ-15031

Silence

Starter	E-Start
Type	H5
Rated Amperage(A)	7.5
Phase	1 Phase
Zero Load/ Full Load	79.6-89 dB
Rated/Max output	850/1000



GASOLINE GENERATORS

1KW/ 2KW

BZ-15032

Silence

Starter	E-Start
Type	H5
Rated Amperage(A)	14.2
Phase	1 Phase
Zero Load/ Full Load	79.6-89 dB
Rated/Max output	1700/2000



GASOLINE GENERATORS

2.0 HP

BZ-15041/2

Copper/Aluminium alternator

Starter	Recoil start system
Type	H5
Fuel Type	Unleaded Gasoline
Phase	1 Phase
Zero Load/ Full Load	86.6-99 dB
Oil Type	30W/ 15W-40





电锤&电镐系列
ROTARY HAMMER & ELETRIC PICK

电锤&电镐系列

ROTARY HAMMER ELETRIC PICK

FUNCTION

Mainly used for drilling holes in concrete, slabs, brick walls and stone. Professionally punch holes in the wall, concrete and stone, adjust to the appropriate position and match the appropriate drill bit to replace the ordinary drill.



电锤&电镐系列
ROTARY HAMMER & ELETRIC PICK

ROTARY HAMMER

32mm



Drill Capacity

32mm

Rated Input Power

850W-1500W

No-Load Speed

850r/min

Size/Qty
53x46.5x39cm/4pcs

BZ-10401

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

33.6kg /0.09612

ROTARY HAMMER

32mm



Drill Capacity

32mm(SDS-PLUS)

Rated Input Power

1550W-1850W

No-Load Speed

1000r/min

Size/Qty
53x46.5x39.5cm/4pcs

BZ-10407

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

34.8kg /0.09612

ROTARY HAMMER

32mm



Drill Capacity

32mm

Rated Input Power

850W-1850W

No-Load Speed

850r/min

Size/Qty
53x46.5x39cm/4pcs

BZ-10410

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

33kg /0.09612

ROTARY HAMMER

32mm



Drill Capacity

32mm

Rated Input Power

850W-1500W

No-Load Speed

850r/min

Size/Qty
53x46.5x39cm/4pcs

BZ-10402

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

33.7kg /0.09612

ROTARY HAMMER

40mm



Drill Capacity

40mm

Rated Input Power

850W-1850W

No-Load Speed

850r/min

Size/Qty
53x46.5x39cm/4pcs

BZ-10408

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

36.56kg /0.09612

ROTARY HAMMER

40mm



Drill Capacity

40mm

Rated Input Power

850W-1850W

No-Load Speed

850r/min

Size/Qty
53x46.5x39cm/4pcs

BZ-10411

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

35.48kg /0.09612

ROTARY HAMMER

32mm



Drill Capacity

32mm

Rated Input Power

850W-1850W

No-Load Speed

850r/min 53x46.5x39.5cm/4pcs

BZ-10403

Rated Voltage

110V/220V 50/60Hz 34.8kg/0.09612

ROTARY HAMMER

40mm



Drill Capacity

40mm

Rated Input Power

850W-1850W

No-Load Speed

850r/min 53x46.5x39cm/4pcs

BZ-10404

Rated Voltage

110V/220V 50/60Hz 36.56kg/0.09612

ROTARY HAMMER

32mm



Drill Capacity

32mm

Rated Input Power

850W-1150W

No-Load Speed

850r/min 53x46.5x39.5cm/4pcs

BZ-10405

Rated Voltage

110V/220V 50/60Hz 32.95kg/0.0863

ROTARY HAMMER

40mm



Drill Capacity

40mm

Rated Input Power

1500W-1850W

No-Load Speed

850r/min 53x30x41.5cm/2pcs

BZ-10406

Rated Voltage

110V/220V 50/60Hz 23.5kg/0.06599

ROTARY HAMMER

26mm



Drill Capacity

26mm

Rated Input Power

980W

No-Load Speed

850r/min 59.5x41x30.5cm/5pcs

BZ-10409

Rated Voltage

110V/220V 50/60Hz 28.25kg/0.0744

ELECTRIC PICK

38mm



Drill Capacity

38mm

Rated Input Power

850W-1800W

No-Load Speed

850r/min 53x24x35cm/2pcs

BZ-10420

Rated Voltage

110V/220V 50/60Hz 18.74kg/0.0445



ELECTRIC PICK

65mm

Drill Capacity

65mm

No-Load Speed

1400r/min

Size/Qty

71x17x31cm/1pcs

Rated Input Power

2300W

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

20.18kg/0.0375

BZ-10501



ELECTRIC PICK

95mm

Drill Capacity

95mm

No-Load Speed

1400r/min

Size/Qty

71x17x31cm/1pcs

Rated Input Power

2800W


Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

22.76kg/0.0375

BZ-10502



ELECTRIC PICK

95mm

Drill Capacity

65mm

No-Load Speed

1400r/min

Size/Qty

71x17x31cm/1pcs

Rated Input Power

2300W

Rated Voltage

110V/220V 50/60Hz

Net Weight/CBM

20.18kg/0.0375

BZ-10503

木工系列

WOOD WORKING SERIES

Baaz
TOOLS

木工系列
WOOD WORKING SERIES

ELECTRIC ROUTER

12mm



BZ-10612

No-Load Speed	23000r/min
Rated Voltage	110V/220V 50/60Hz
Coller Chuck Diameter	Size/Qty
12mm	36x28.5x51cm/4pcs
Rated Input Power	Net Weight/CBM
950W-1850W	25.38kg /0.0523

ELECTRIC PLANER

82mm

BZ-10618



Max Planing Width	No-Load Speed	Size/Qty
82mm	15000r/min	51.5x31x36cm/6pcs
Rated Input Power	Rated Voltage	Net Weight/CBM
850W	110V/220V 50/60Hz	18kg /0.05747

JIG SAW

55mm



BZ-10600

No-Load Speed	0-3000r/min
Rated Voltage	110V/220V 50/60Hz
Cutting Cap	Size/Qty
55mm	61x38x25cm/10pcs
Rated Input Power	Net Weight/CBM
500W-650W	20.8kg /0.058

JIG SAW

55mm



BZ-10601

No-Load Speed	0-3000r/min
Rated Voltage	110V/220V 50/60Hz
Cutting Cap	Size/Qty
55mm	61x38x25cm/10pcs
Rated Input Power	Net Weight/CBM
500W-650W	21.6kg /0.058

CIRCULAR SAW

185mm



BZ-10651

No-Load Speed	4700r/min
Rated Voltage	110V/220V 50/60Hz
Cutting Cap	Size/Qty
185mm	49x28x42cm/4pcs
Rated Input Power	Net Weight/CBM
1400W-1680W	29.64kg /0.058

CIRCULAR SAW

235mm



BZ-10652

No-Load Speed	4800r/min
Rated Voltage	110V/220V 50/60Hz
Cutting Cap	Size/Qty
235mm	56x40x43cm/4pcs
Rated Input Power	Net Weight/CBM
1800W-2200W	29.64kg /0.0963

JIG SAW

65mm



BZ-10602

Adjustable speed	
No-Load Speed	600-3000r/min
Rated Voltage	110V/220V 50/60Hz
Cutting Cap	Size/Qty
65mm	62x42x27cm/5pcs
Rated Input Power	Net Weight/CBM
850W-1280W	28.7kg /0.07

TRIMMER

6mm



BZ-10611

No-Load Speed	11000r/min
Rated Voltage	110V/220V 50/60Hz
Max Diameter Wheel	Size/Qty
6-8mm	63x37.5x29cm/10pcs
Rated Input Power	Net Weight/CBM
950W	19kg /0.0685

CIRCULAR SAW

185mm



BZ-10653

No-Load Speed	4700r/min
Rated Voltage	110V/220V 50/60Hz
Cutting Cap	Size/Qty
185mm	50.5x29x45.5cm/4pcs
Rated Input Power	Net Weight/CBM
1400W-1680W	19.32kg /0.06663

CIRCULAR SAW

185mm



BZ-10654

No-Load Speed	4700r/min
Rated Voltage	110V/220V 50/60Hz
Cutting Cap	Size/Qty
185mm	49x28x42cm/4pcs
Rated Input Power	Net Weight/CBM
1400W-1680W	29.64kg /0.058



ELECTRIC WRENCH 20/22/24mm



BZ-10018	No-Load Speed	2400r/min
	Rated Voltage	110V/220V 50/60Hz
	Max Drill Capacity	20/22/24mm
	Size/Qty	67x34.5x34cm/5pcs
	Rated Input Power	900W-1800W
	Net Weight/CBM	23.36kg /0.07859

HEAT GUN 1600W



BZ-10576	Air Flow	250L/min
	Rated Voltage	110V/220V 50/60Hz
	Saw Diameter	50°C-500°C 50°C-600°C
	Size/Qty	63x43x27.5cm/10pcs
	Rated Input Power	1600W
	Net Weight/CBM	10kg /0.0745

HEAT GUN 1600W



BZ-10577	Air Flow	250L/min
	Rated Voltage	110V/220V 50/60Hz
	Saw Diameter	50°C-500°C 50°C-600°C
	Size/Qty	63x43x27.5cm/10pcs
	Rated Input Power	1600W
	Net Weight/CBM	10kg /0.0745

ELECTRIC BLOWER 2.3m³/min



BZ-10551	Wind Volume	2.3m³/min
	No-Load Speed	16000r/min
	Size/Qty	94x25.5x38.5cm/10pcs
	Rated Input Power	400W-800W
	Rated Voltage	110V/220V 50/60Hz
	Net Weight/CBM	14kg /0.0923

ELECTRIC BLOWER 2.3m³/min



BZ-10552	Wind Volume	2.3m³/min
	No-Load Speed	16000r/min
	Size/Qty	54x37x47.5cm/4pcs
	Rated Input Power	600W-800W
	Rated Voltage	110V/220V 50/60Hz
	Net Weight/CBM	12.5kg /0.0949

ELECTRIC BLOWER 2.3m³/min



BZ-10553	Wind Volume	2.3m³/min
	No-Load Speed	16000r/min
	Size/Qty	53x48x44cm/8pcs
	Rated Input Power	600W-800W
	Rated Voltage	110V/220V 50/60Hz
	Net Weight/CBM	17.46kg /0.1119

ELECTRIC BLOWER 2.3m³/min



BZ-10554	Wind Volume	2.3m³/min
	No-Load Speed	16000r/min
	Size/Qty	53x48x44cm/8pcs
	Rated Input Power	800W-1450W
	Rated Voltage	110V/220V 50/60Hz
	Net Weight/CBM	22.26kg /0.1119



BZ-10660	No-Load Speed	6000r/min
	Rated Voltage	110V/220V 50/60Hz
	Drill Capacity	255mm
	Size/Qty	51.5x41.5x42cm/1pcs
	Rated Input Power	1800W-2200W
	Net Weight/CBM	10kg /0.0897



BZ-10661	No-Load Speed	6000r/min
	Rated Voltage	110V/220V 50/60Hz
	Drill Capacity	255mm
	Size/Qty	51.5x41.5x42cm/1pcs
	Rated Input Power	1800W-2200W
	Net Weight/CBM	10kg /0.0897



BZ-10701	No-Load Speed	3900r/min
	Rated Voltage	110V/220V 50/60Hz
	Drill Capacity	355mm
	Size/Qty	52x30x40cm/1pcs
	Rated Input Power	2100W-2800W
	Net Weight/CBM	14.21kg /0.0624



BZ-10702	No-Load Speed	3900r/min
	Rated Voltage	110V/220V 50/60Hz
	Drill Capacity	355mm
	Size/Qty	58.5x32x39.5cm/1pcs
	Rated Input Power	2800W
	Net Weight/CBM	16.6kg /0.0739

PIPE WELDING MACHINE 1000 W

BZ-100

Voltage (V)	Packing dim.
220~240	47*39*36
Frequency (Hz)	Carton Qty.(pcs)
50/60	10
Temperature(C)	Power(W)
300	1000
Working range(mm)	
20-32	
G.W.(kg)	
18	



PIPE WELDING MACHINE 700 W

BZ-150

Voltage (V)	Packing dim.
220~240	47*39*36
Frequency (Hz)	Carton Qty.(pcs)
50/60	10
Temperature(C)	Power(W)
300	700
Working range(mm)	
20-32	
G.W.(kg)	
17.5	



PIPE WELDING MACHINE 2000 W

BZ-200

Voltage (V)	Packing dim.
220~240	47*39*36
Frequency (Hz)	Carton Qty.(pcs)
50/60	10
Temperature(C)	Power(W)
300	2000
Working range(mm)	
20-32	
G.W.(kg)	
24.5t	



INVERTER WELDING MACHINE 300A

BZ-300

Power Voltage (V)	Output Current(A)	Insulation Class
1 phase AC220V _+15%	20-250	F
Frequency (Hz)	Rated Output Voltage(V)	Housing Protection Grade
50/60	30	IP23
Rated Input Current(A)	Force Range(A)	Weight(Kg)
56.5	0-100	3.2
No-load Voltage(V)	Duty Cycle(%)	Specification
65+_5	60	2.5-3.2
Power Factor	Efficiency	Dimensions(mm)
0.93	85	296*136*260



INVERTER WELDING MACHINE 400A

BZ-400

Power Voltage (V)	Output Current(A)	Insulation Class
1 phase AC220V _+15%	20-400	F
Frequency (Hz)	Rated Output Voltage(V)	Housing Protection Grade
50/60	36	IP23
Rated Input Current(A)	Force Range(A)	Weight(Kg)
56.5	0-100	5.1
No-load Voltage(V)	Duty Cycle(%)	Specification
65+_5	60	2.5-4
Power Factor	Efficiency	Dimensions(mm)
0.93	85	358*165*306



INVERTER WELDING MACHINE 500A

BZ-500

Power Voltage (V)	Output Current(A)	Insulation Class
1 phase AC220V _+15%	30-500	F
Frequency (Hz)	Rated Output Voltage(V)	Housing Protection Grade
50/60	38.6	IP23
Rated Input Current(A)	Force Range(A)	Weight(Kg)
65	0-100	7.1
No-load Voltage(V)	Duty Cycle(%)	Specification
65+_5	60	2.5-5
Power Factor	Efficiency	Dimensions(mm)
0.93	85	448*196*358



铝件类 ALUMINUM PARTS



零件类 PART CLASS



辅助件 AUXILIARY



包装类 PACKAGING CLASS



